

**IN THE CLAIMS:**

Please amend claims 14, 20, 34, and 40 and cancel claims 19 and 39, without prejudice or disclaimer, as follows.

1. (Previously Presented) A method for communicating multicast group membership information in a network between a plurality of routers in a multicast group, wherein each of the plurality of routers reports routing tree information to other routers of said plurality of routers, wherein the routing tree information comprises a source tree for a unicast routing protocol, said method comprising the steps of:

receiving update information at a second router in the network, said update information transmit from a first router and including update information on a multicast group, said update information indicating that said first router is becoming a member of said multicast group, and a network address of said first router.

determining, based at least in part on said update information and the routing tree information reported by said first router, whether said second router must transmit said update information, so that all members of said multicast group remain connected, by determining if said source tree reported by said first router has said second router as the root of a subtree from which said first router is excluded, and if at least one neighbor router of said second router in said subtree is not a member of said multicast group; and

in response to a positive determination:

transmitting said update information from said second router to said at least one neighbor router of said second router.

2. (Original) The method of claim 1, wherein said update information includes an identifier of said multicast group.

3. (Original) The method of claim 1, wherein said update information includes a network address of said first router.

4.-5. Cancelled

6. (Previously Presented) The method of claim 1, wherein said step of determining further comprises determining if said first router is not a member of said multicast group.

7. (Original) The method of claim 6, wherein said update information includes a time stamp, and wherein said step of determining further comprises determining if said time stamp is valid.

8. (Original) The method of claim 7, wherein said time stamp comprises a first time stamp and wherein said step of determining if said time stamp is valid

comprises determining if said first time stamp is more recent than a second time stamp stored in said second router, wherein said second time stamp is associated with said multicast group and said first router.

9. (Original) The, method of claim 1, wherein said update information includes an indication that said first router is no longer a member of said multicast group.

10. (Original) The method of claim 9, wherein the routing tree information comprises a source tree for a unicast routing protocol, and wherein said step of determining comprises determining if said source tree reported by said first router has said second router as the root of a subtree from which said first router is excluded, and if at least one neighbor router of said second router in said subtree is a member of said multicast group.

11. (Original) The method of claim 10, wherein said step of determining further comprises determining if said first router is not a member of said multicast group.

12. (Original) The method of claim 11, wherein said update information includes a time stamp, and wherein said step of determining further comprises determining if said time stamp is valid.

13. (Original) The method of claim 12, wherein said time stamp comprises a first time stamp and wherein said step of determining if said time stamp is valid comprises determining if said first time stamp is more recent than a second time stamp stored in said second router, wherein said second time stamp is associated with said multicast group and said first router.

14. (Currently Amended) A method for forwarding multicast packets in a network comprising a plurality of routers in a multicast group, wherein each of the plurality of routers reports routing tree information to other routers of said plurality of routers, said method comprising the steps of:

receiving a multicast packet at a second router, said multicast packet transmit from a first router and including control information, wherein a multicast packet is from a selected source and for a selected multicast group;

determining, based at least in part on said control information and the routing tree information reported by said first router, if said multicast packet is to be forwarded by said second router; and

in response to a positive determination that said multicast packet is to be forwarded in said step of determining:

forwarding said multicast packet from said second router to at least a third router and creating an entry in a multicast forwarding cache, said entry indicating that a multicast packet from said selected source and said selected multicast group should be

forwarded from said second router, wherein said second router maintains a multicast packet-forwarding cache, and wherein said multicast packet-forwarding cache includes an entry indicating each multicast packet recently forwarded by said second router.

15. (Original) The method of claim, 14, wherein said multicast packet includes an address of the multicast group.

16. (Original) The method of claim 14, wherein said multicast packet includes an address of the source of said multicast packet.

17. (Original) The method of claim 14, wherein said multicast packet includes a time value, wherein said time value is used to limit the time said multicast packet is allowed to remain in the network.

18. Cancelled

19. Cancelled

20. (Currently Amended) A method for forwarding multicast packets in a network comprising a plurality of routers in a multicast group, wherein each of the

plurality of routers reports routing tree information to other routers of said plurality of routers, said method comprising the steps of:

receiving a multicast packet at a second router, said multicast packet transmit from a first router and including control information, wherein a multicast packet is from a selected source and for a selected multicast group;

determining, based at least in part on said control information and the routing tree information reported by said first router, if said multicast packet is to be forwarded by said second router; and

in response to a positive determination that said multicast packet is to be forwarded in said step of determining:

forwarding said multicast packet from said second router to at least a third router and creating an entry in a multicast forwarding cache, said entry indicating that a multicast packet from said selected source and said selected multicast group should be forwarded from said second router

~~The method of claim 14,~~ wherein the routing tree information reported by said first router comprises a source tree for a unicast routing protocol, and wherein said step of determining comprises determining if said first router is the next hop in the shortest path from said second router to the source of the multicast packet according to said source tree, and if said source tree has said second router in a subtree with at least one router in said subtree being a member of the multicast group.

21. (Previously Presented) An apparatus for communicating multicast group membership information in a network between a plurality of routers in a multicast group, wherein each of the plurality of routers reports routing tree information to other routers of said plurality of routers, wherein the routing tree information comprises a source tree for a unicast routing protocol, said apparatus comprising:

a first router, said first router for receiving update information transmit from a second router and including update information on a multicast group and an indication that said second router is becoming a member of said multicast group, wherein said first router determines, based at least in part on said update information and the routing tree information reported by said second router, whether said first router must transmit said update information to at least one neighbor router of said first router, by determining if said source tree reported by said, second router has said first router as the root of a subtree from which said second router is excluded, and at least one neighbor router of said first router in said subtree is not a member of said multicast group, so that all members of said multicast group remain connected, and wherein said first router, in response to a positive determination that said first router must transmit said update information, transmits said update information to said at least one neighbor router.

22. (Original) The apparatus of claim 21, wherein said update information includes an identifier of said multicast group.

23. (Original) The apparatus of claim 21, wherein said update information includes a network address of said first router.

24.-25. Cancelled

26. (Previously Presented) The apparatus of claim 23, wherein said first router further determines whether said first router must transmit said update information by determining if said second router is not a member of said multicast group.

27. (Original) The apparatus of claim 26, wherein said update information includes a time stamp, and wherein said first router further determines whether said first router must transmit said update information by determining if said time stamp is valid.

28. (Original) The apparatus of claim 27, wherein said first router further stores a time stamp associated with said multicast group and said second router, wherein said time stamp comprises a first time stamp and wherein said first router determines whether said time stamp is valid by determining if said first time stamp is more recent than said second time stamp.



29. (Original) The apparatus of claim 21, wherein said update information includes an indication that said second router is no longer a member of said multicast group.

30. (Original) The apparatus of claim 29, wherein the routing tree information comprises a source tree for a unicast routing protocol, and wherein said first router determines whether said first router must transmit said update information by determining if said source tree reported by said second router has said first router as the root of a subtree from which said second router is excluded, and at least one neighbor router of said first router in said subtree is a member of said multicast group.

31. (Original) The apparatus of claim 30, wherein said first router further determines whether said first router must transmit said update information by determining if said second router is not a member of said multicast group.

32. (Original) The apparatus of claim 31, wherein said update information includes a time stamp, and wherein said first router further determines whether said first router must transmit said update information by determining if said time stamp is valid.

33. (Original) The apparatus of claim 32, wherein said first router further stores a time stamp associated with said multicast group and said second router, wherein said

time stamp comprises a first time stamp and wherein said first router determines whether said time stamp is valid by determining if said first time stamp is more recent than said second time stamp.

34. (Currently Amended) An apparatus for forwarding multicast packets in a network comprising a plurality of routers in a multicast group, wherein each of the plurality of routers reports control information including routing tree information to other routers of said plurality of routers, said apparatus comprising:

a first router, said first router including a multicast forwarding cache, said first router, further for receiving a multicast packet from a second router in a network, said multicast packet from a selected source and for a selected multicast group, determining, based at least in part, on said control information and the routing tree information reported by said second router to said first router, if said multicast packet is to be forwarded by said first router, and wherein said first router, in response to a positive determination that said multicast packet is to be forwarded, forwards said multicast packet to at least a third router and wherein said first router creates an entry indicating that a multicast packet from said selected source and said selected multicast group should be forwarded after making a positive determination that said multicast packet is to be forwarded, wherein said first router comprises a multicast packet-forwarding cache, and wherein said multicast packets forwarding cache includes an entry, indicating each multicast packet, recently forwarded by said first router.

35. (Original) The apparatus of claim 34, wherein said multicast packet includes an address of the multicast group.

36. (Original) The apparatus of claim 34, wherein said multicast packet includes an address of the source of said multicast packet.

37. (Original) The apparatus of claim, 34, wherein said multicast packet includes a time value, wherein said time value is used to limit the time said multicast packet is allowed to remain in the system.

38. Cancelled

39. Cancelled

40. (Currently Amended) An apparatus for forwarding multicast packets in a network comprising a plurality of routers in a multicast group, wherein each of the plurality of routers reports control information including routing tree information to other routers of said plurality of routers, said apparatus comprising:

a first router, said first router including a multicast forwarding cache, said first router, further for receiving a multicast packet from a second router in a network, said

multicast packet from a selected source and for a selected multicast group, determining,  
based at least in part, on said control information and the routing tree information  
reported by said second router to said first router, if said multicast packet is to be  
forwarded by said first router, and wherein said first router, in response to a positive  
determination that said multicast packet is to be forwarded, forwards said multicast  
packet to at least a third router and wherein said first router creates an entry indicating  
that a multicast packet from said selected source and said selected multicast group should  
be forwarded after making a positive determination that said multicast packet is to be  
forwarded~~The apparatus of claim 34,~~ wherein the routing tree information reported by  
said second router comprises a source tree for a unicast routing protocol, and wherein  
said step of determining comprises determining if said second router is the next hop in  
the shortest path from said first router to the source of the multicast packet according to  
said source tree, and if said source tree has said first router in a subtree with at least one  
router in said subtree being a member of the multicast group.